PB87-193702

Procedural Guidance for Reviewing Exposure Information under RCRA (Resource Conservation and Recovery Act) Section 3019

(U.S.) Environmental Protection Agency
Washington, DC

26 Sep 86



U.S. Department of Commerce
National Technical Information Service
NTIS

50272-101

REPORT DOCUMENTATION PAGE	1. REPORT NO.	2.	3. Recipient's Accession No. PB87 193702/AS
4. Title and Subtitle Procedural Guidance for Reviewing Exposure Information Under RCRA Section 3019			5. Report Date Sept. 26, 1986 6.
7. Author(s) Terry Grogan and Robert Kayser			8. Performing Organization Rept. No.
9. Performing Organization Name and Address U.S. Environmental Protection Agency Office of Solid Waste and Emergency Response 401 M Street, S.W. Washington, D.C. 20460			10. Project/Task/Work Unit No. 11. Contract(C) or Grant(G) No. (C) (G)
12. Sponsoring Organization Name and Address U.S. Environmental Protection Agency Office of Solid Waste and Emergency Response 401 M Street, S.W. Washington, D.C. 20460			13. Type of Report & Period Covered Final 14.

15. Supplementary Notes
See = Permit Applicants' Guidance Manual for Exposure Information Requirements under RCRA Section 3019 (PD#9523.00-1A)

16. Abstract (Limit: 200 words)
This guidance manual describes the procedures for permit writers in evaluating exposure information submitted under RCRA 3019. The integration of this review with existing RCRA permitting activities is also discussed. The document outlines procedures to follow in referring sites to the Agency for Toxic Substances and Disease Registry (ATSDR) for health evaluations.

17. Document Analysis a. Descriptors

b. Identifiers/Open-Ended Terms

c. COSATI Field/Group

18. Availability Statement	19. Security Class (This Report)	21. No. of Pages
Release Unlimited	Unclassified	67
	20. Security Class (This Page) Unclassified	22. Price

(See ANSI-Z39.18) See Instructions on Reverse

OPTIONAL FORM 272 (4-77)
(Formerly NTIS-35)
Department of Commerce

PB87-193702

United States Environmental Protection Agency

Office of Solid Waste and Emergency Response

EPA

DIRECTIVE NUMBER: OSWER 9523.00-2A

TITLE: Procedural Guidance for Reviewing Exposure Information under RCRA Section 3019

APPROVAL DATE: September 26, 1986

EFFECTIVE DATE: September 26, 1986

ORIGINATING OFFICE: Office of Solid Waste

☒ **FINAL**

☐ **DRAFT**

STATUS:

REFERENCE (other documents):

Permit Applicants' Guidance Manual for Exposure Information Requirements under RCRA Section 3019

OSWER OSWER OSWER
/E DIRECTIVE DIRECTIVE

REPRODUCED BY
U.S. DEPARTMENT OF COMMERCE
NATIONAL TECHNICAL
INFORMATION SERVICE
SPRINGFIELD, VA 22161

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 26 1986

OFFICE OF
SOLID WASTE AND EMERGENCY RESPONSE

MEMORANDUM

SUBJECT: Procedural Guidance for Review of Exposure Information

FROM: J. Winston Porter
Assistant Administrator

TO: Hazardous Waste Management Division Directors
Regions I-X

Attached for your use is the final Procedural Guidance for Reviewing Exposure Information under RCRA Section 3019. This guidance describes suggested procedures for evaluating Exposure Information Reports (EIRs) and related materials, and how this review should be integrated into existing RCRA activities. This guidance was developed with Regional input, and reflects comments received from the Regions on earlier drafts. There are several points covered in the guidance that I would like to stress.

First, Section 3019 is applicable to landfills and surface impoundments subject to operating or post-closure permits. The requirement to submit a Part B triggers the duty to submit the EIR. Therefore, whenever a post-closure permit application is requested, the Regions (or authorized States) should notify the owner/operator that an EIR is required. An EIR is not needed for units for which a post-closure permit is not required (e.g., those which have not received hazardous waste after July 26, 1982).

Second, the permit writer should conduct an initial review of the EIR as soon as possible after the EIR is received. If the review reveals evidence of a release and potential human exposure, the permit writer should give a high priority to the detailed technical review of the EIR (and Part B). At any stage of review that the permit writer suspects a health hazard, other program and enforcement staff should be consulted to formulate an appropriate response, which may include contacting Headquarters and seeking a health assessment.

Third, before seeking a health assessment from the Agency for Toxic Substances and Disease Registry (ATSDR) under §3019, the Region must obtain the concurrence of Headquarters, even though the authority to refer a facility to ATSDR has been delegated to

the Regional Administrator (with redelegation possible to the Division Director level). The Headquarters concurrence requirement is designed to ensure that important sites are assessed first, and to obtain national consistency in the types of sites referred to ATSDR. Regions seeking concurrence or other assistance should contact Terry Grogan of the Permit Assistance Team (FTS 382-4740).

Finally, I urge the permit writers not to allow the §3019 review process to unduly delay the permitting process. RCRA programs are already in place to identify, investigate, and clean up releases to ground water and other exposure pathways. Therefore, the two major goals in reviewing exposure information under §3019 are: (1) to identify human exposures to prior/continuing releases that require ATSDR involvement, and (2) to identify potential exposures from possible future releases that may be mitigated by specific permit conditions.

I encourage you and your staff to use the procedures outlined in this guidance. If you have any questions about the guidance or the implementation of §3019, please contact Terry Grogan or Bob Kayser at the number noted above.

Attachment

cc: Hazardous Waste Branch Chiefs, Regions I-X
Permits Section Chiefs, Regions I-X
Exposure Information Contacts, Regions I-X

ia

OSWER POLICY DIRECTIVE NO. 9523.00-2A

PROCEDURAL GUIDANCE FOR REVIEWING EXPOSURE INFORMATION UNDER RCRA SECTION 3019

FINAL

Office of Solid Waste
United States Environmental Protection Agency

September, 1986

ACKNOWLEDGEMENTS

This guidance was prepared by the Assistance Branch of the Office of Solid Waste, with the assistance of other Headquarters and Regional EPA staff. Major contributors to this document were Robert Kayser and Terry Grogan. Numerous helpful comments and suggestions were provided by Allen Maples, Art Day, Susan Green, Carrie Wehling, and other EPA staff. Andrew Teplitzky and Amy Schaffer of A.T. Kearney, Inc. also played a role in the preparation of this document. This guidance has borrowed freely from existing EPA documents, either through the citation of other guidances, or the incorporation of approaches that might be useful to the EIR reviewer in assessing exposure potential from hazardous waste sites.

TABLE OF CONTENTS

		Page
ACKNOWLEDGMENTS		ii
EXECUTIVE SUMMARY		v
I.	INTRODUCTION	1
	A. Background	1
	B. Three Components of Human Exposure	2
	C. Gathering Additional Information	2
	1. Additional Information Sources	2
	2. Using Permitting and Corrective Action Processes	3
	D. General EIR Review Procedures	4
	E. Relationship to Existing RCRA Programs	6
	F. State Roles in EIR Reviews	7
I	EIR INITIAL SCREEN AND COMPLETENESS REVIEW	7
	A. Setting Priorities for EIR Reviews and Identifying Imminent Hazards	7
	B. Performing the EIR Completeness Review	8
	1. EIR Completeness Review Format	8
	2. Other Information Sources	9
	3. Determining the Adequacy of Submitted Information	9
III.	EIR TECHNICAL REVIEW	11
	A. Evidence of Significant Prior or Continuing Release	11
	1. Definition of "Significant Release"	11
	2. Useful Information Sources	11
	3. Deciding Future Course of Action	13
	B. Determination of Known/Suspected Public Exposures at Significant Levels	16

TABLE OF CONTENTS (Continued)

		Page
	1. Human Exposure Components	16
	2. Gathering Data to Document Exposure	17
	3. Technical Assistance	19
C.	Possible Actions in Cases of Human Exposure	22
	1. Interim Remedial Action	23
	2. Referral to ATSDR for Health Assessment	23
	3. Corrective Action	25
D.	Determining the Potential for Significant Public Exposure From Future Releases	26
	1. General Approach	27
	2. Pathway-Specific Factors	28
	3. Transportation Factor	33
	4. History of Management Practices	33
	5. Example of Exposure Potential Determination	34
E.	Considering Permit Conditions to Mitigate Potential Exposure	36

Attachment I Section 3019 Statute

Attachment II Exposure Information Report Requirement Checklist

Attachment III Levels of ATSDR Assistance

EXECUTIVE SUMMARY

Section 3019 of RCRA requires an owner or operator of a hazardous waste surface impoundment or landfill to submit an Exposure Information Report (EIR) along with the Part B permit application. The requirement to submit a Part B triggers the duty to submit an EIR, and the regulation is applicable to both operating and post-closure permits. The purpose of §3019 is to identify whether releases from the facility pose a significant potential risk to public health. These cases may be addressed through appropriate permitting or enforcement responses, and through referral to the Agency for Toxic Substances and Disease Registry (ATSDR) for a health assessment. The public may also submit information about releases from a site to EPA, an authorized State, or ATSDR.

Exposure information will be collected and evaulated by the EPA Regions until the States receive authorization for §3019. Until then, State assistance in reviewing the EIRs is desirable, especially where the State is already reviewing the Part B application. Because the EIR may make reference to information already contained in the Part B, the EIR and Part B are best reviewed concurrently. However, the EIR is not legally a part of (but merely "accompanies") the Part B, and the permit cannot be judged incomplete due to deficiencies in the EIR alone. While the EIR should be reviewed before permit issuance, the review should not unduly delay the permitting process.

A previously issued document, the Permit Applicants' Guidance Manual for Exposure Information Requirements under RCRA Section 3019, provides guidance on the information that must be submitted to EPA by the owner/operator. The following new guidance describes the procedures the permit writer/EIR reviewer should follow in evaluating the EIR and related information for human exposure potential and how this review should be integrated into existing RCRA activities. RCRA programs are already in place to identify, investigate, and clean up releases to ground water and other pathways. Therefore, the two major goals in reviewing exposure information are: (1) to identify human exposures to past releases from subject units that may require ATSDR involvement; and, (2) to identify potential exposures from future releases that may be mitigated by specific permit conditions. [Note that the term "future release" also includes a release that has occurred but has not yet been detected.]

The steps to follow in reviewing the EIR and related material include: (1) a completeness review to ensure that the EIR submittal is adequate, and an initial screen to determine if the existing release and exposure evidence warrants immediate action; (2) deciding if the available evidence indicates that a significant release has occurred; (3) deciding if such a release has resulted in known or suspected exposure to the public at significant levels; (4) considering appropriate responses in cases of human exposure

(interim measures, ATSDR referral, corrective action); (5) determining the potential for public exposure to future releases; and, (6) considering new permit conditions to mitigate potential exposure to future releases. The EIR reviewer may not complete each step in the process in the order given, e.g., if the reviewer suspects an imminent hazard at any point in the evaluation, (s)he should immediately consult with permitting and enforcement staff to formulate an appropriate response.

Pathways that should be examined include ground water, air, surface water, subsurface gas, soil, and food chain contamination. Three elements are needed to establish a complete exposure pathway: (1) a confirmed release of hazardous constituents of concern; (2) migration of the released constituents off-site; and, (3) a population known (or suspected) to have come into contact with the contaminated media. The EIR reviewer should use the EIR information in conjunction with data collected during the permitting process or from investigations conducted as part of the corrective action program for prior/continuing releases (under §3004(u) and 3008(h)) to determine if a complete exposure pathway exists.

In assessing the adequacy of exposure information, the reviewer may consult with the Permit Assistance Team (PAT), the Office of Research and Development (ORD), or ATSDR. However, the Region should contact the PAT for more extensive technical assistance, and the PAT will coordinate assistance from OSW, ORD, and ATSDR as needed. The Region must obtain the concurrence of EPA Headquarters prior to referring a facility to ATSDR for a health assessment. Interim remedial measures and long term corrective action should be considered even if the site is not referred to ATSDR (e.g., to prevent future exposure to past releases).

The reason for examining the exposure potential from future releases (Step 5) is to identify pathways of concern and design permit conditions to mitigate these potential problems (Step 6). The occurrence of past releases and exposures will be a primary indicator of the impact of possible future releases. The EIR reviewer is also encouraged to qualitatively screen subject units to examine potential exposure <u>if</u> a release should occur. If a pathway of concern is found, the relevant design and operating features should be critically examined to decide if additional permit conditions are necessary.

I. INTRODUCTION

A. Background

Section 3019 of the Resource Conservation and Recovery Act (RCRA) requires an owner or operator of a hazardous waste surface impoundment or landfill to submit an Exposure Information Report (EIR) in conjunction with permit applications submitted under RCRA. The EIR must identify known releases, the potential for releases, the potential pathways for human exposure to hazardous waste or constituents associated with these releases, and the potential magnitude of human exposure resulting from these releases. The purpose of Section 3019 is to identify whether releases of hazardous waste or hazardous constituents from the facility pose a significant potential risk to public health. When such cases are found, the Agency may address the problem through a variety of RCRA permitting and enforcement authorities, through a request for a health assessment as described in Section 3019 or, if appropriate, through the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). The Permit Applicants' Guidance Manual for Exposure Information Requirements Under RCRA Section 3019 (PAGM), issued in July 1985, provides additional background on this requirement. Attachement I contains the statutory language for §3019.

The deadline for submission of permit applications and associated EIRs for all operating land disposal facilities was November 8, 1985. Therefore, many EIRs have been submitted to EPA and await review. The Agency expects to issue technical guidance for permit writers on the review of Exposure Information Reports. The following procedural guidance has been developed to assist permit writers in the review of EIRs for facilities whose Part Bs are being processed now. This procedural guidance presents the steps for evaluating an EIR and related materials for human exposure potential and identifies how other regulatory tools and information sources may be utilized during various stages of the EIR review process. This guidance will use the terms "EIR reviewer" and "permit writer" interchangeably, with the realization that various Regional and State staff may be involved in the review process. Because the EIR is closely tied to the Part B, however, the permit writer familiar with the facility should have a major role in reviewing the exposure information.

The requirement to submit an EIR has been added to the RCRA permitting regulations in 40 CFR 270.10(j). [The regulation essentially repeats the statutory language found in §3019(a).] As noted in the preamble to the codification rule in the Federal Register (50 FR 28726, July 15, 1985), 40 CFR 270.10(j) is applicable to both operating and post-closure permits. The requirement to submit a Part B triggers the duty to submit the EIR. If a closing unit does not require a post-closure permit (and consequently, a Part B is not required), owners and operators would not have to submit an EIR. Therefore, owners and operators of closing units who intend to "clean-close" are not required to submit an EIR until or unless the Region (or authorized State) requests submission of a post-closure permit application.

B. Three Components of Human Exposure

The reader will find reference throughout this document to three elements that must be considered for each unit in order to decide if the potential for human exposure exists. The three elements needed to establish a complete exposure pathway are:

- o a release of hazardous wastes or hazardous constituents from the unit;
- o movement of the release off-site (or to on-site human exposure points) via a media pathway (e.g., groundwater, surface water, or air); and,
- o a nearby population likely to come into contact with such a release.

These "human exposure" components form the basis of the evaluation of each EIR in order to focus the EIR reviewer on the data necessary to determine whether there is a "substantial potential risk" to human health from prior releases from a facility. When considering possible public exposure due to a future release of hazardous wastes from a unit, the reviewer may not have data documenting a release. In this case, the unit must be evaluated by focusing on the potential for release and migration and possible impacts on nearby populations.

All pathways for off-site migration must be reviewed in order to determine the potential for exposure to hazardous waste releases. Potential pathways mentioned in the PAGM include: ground water, surface water, air, subsurface gas, soil, and food chain contamination. The potential for human exposure through all of these pathways should be examined with the three elements given above in mind.

C. Gathering Additional Information

1. Additional Information Sources

The EIR is only one of many sources of information which are available to assist the EIR reviewer in determining whether a facility presents a potential for human exposure. Other sources of information include the Part B application, results from the RCRA Section 3004(u) and Section 3008(h) corrective action processes, compliance monitoring and enforcement reports, files from other State and Federal agencies, information on complaints from the public, and the permit writer's general knowledge of the facility. Independent sources of information will be useful to the EIR reviewer in evaluating the accuracy of the EIR information and in determining the seriousness of potential problems. The use of these other information sources at various stages of the EIR review is described in the relevant sections of this document.

2. Use of Permitting and Corrective Action Processes

The EIR reviewer is encouraged to use all sources available within the existing permitting process or the various corrective action procedures for gathering the data necessary to identify the potential for human exposure. The permit writer should be well aware of the permitting authorities that are used in detecting and cleaning up releases to ground water from disposal facilities. The use of the new corrective action authorities granted to EPA under Sections 3004(u) and 3008(h) of HSWA will be invaluable in addressing releases via other pathways besides ground water (e.g., surface water, air, subsurface gas), and these authorities are briefly described below.

In contrast to the more limited applicability of Section 3019, the Section 3004(u) corrective action provision applies to all types of solid waste management units (SWMUs), inactive or active, at any treatment, storage or disposal facility seeking a RCRA permit. Section 3008(h) authorizes the Agency to bring enforcement action to address releases from any Interim Status treatment, storage and disposal facility. Both corrective action authorities may be used to address releases to any major pathway. The Section 3019 exposure information requirements apply only to a subset (i.e., RCRA permitted surface impoundments and landfills) of the SWMU universe addressed under Sections 3004(u) and 3008(h).

EPA has developed a phased process for implementing the corrective action provisions that consists of a preliminary RCRA Facility Assessment (RFA), a RCRA Facility Investigation (RFI), and implementation of corrective measures. The RFA process (previously identified as a preliminary assessment/site investiation, or PA/SI) is designed to identify significant releases from SWMUs and to determine the need for, and scope of, further investigation (RFI) by the owner/operator. The RFI will typically be used to confirm the existence of releases, characterize the extent and nature of such releases, and determine whether or not such releases pose a threat to human health and the environment. The EIR reviewer should consult the Draft RCRA PA/SI Guidance† (August 5, 1985) for details on the RFA process. The memorandum entitled "Interpretation of Section 3008(h) of the Solid Waste Disposal Act" (December 16, 1985) from J. Winston Porter and Courtney M. Price should be consulted for more details on the use of Section 3008(h).

The reasons for relying on the corrective action RFA/RFI process to identify and investigate significant releases are several. First, the procedures and policies for conducting RFAs have been described in existing guidance in a fairly comprehensive and detailed manner. Many of the Regions and States will have some experience in implementing RFAs and should be at least familiar with the process.

---

†Soon to be reissued as the RCRA Facility Assessment Guidance and referred to as such throughout this document.

Second, the information-gathering authorities under 3004(u) and 3008(h) are much broader than under Section 3019. In support of the 3004(u) corrective action program, information may be gathered to identify releases to many different pathways, and the owner/operator may be required to conduct investigations (RFI) to determine the extent and significance of releases. Additionally, a Section 3008(h) order might require that the owner/operator conduct a study to characterize the nature and extent of contamination from a release.

The EIR submission required under Section 3019 is not part of the permit application and does not have the weight of Section 3005 behind it. In addition, the provision limits the level of effort that the owner/operator needs to put forth in developing information for the EIR. Only "reasonably ascertainable information" need be provided by the owner/operator in the EIR. (See the PAGM for further discussion on the obligation of the owner or operator to submit exposure information.)

Finally, the Agency has placed a high priority on RCRA RFA activities; at least the initial stages of the process should be completed before a RCRA permit is issued. Therefore, the EIR reviewer will have the opportunity to examine data relating to possible releases and human exposure gathered through the RFA process.

D. General EIR Review Procedures

The suggested procedures involved in performing the EIR review are summarized in Figure 1. The review of an EIR follows the same basic steps employed in the review of a Part B application, i.e., a completeness review followed by a technical evaluation. Step 1 in Figure 1 represents an initial screen and the completeness review, while Steps 2 through 6 may be considered the EIR Technical Evaluation.

Steps 2, 3, and 5 ask the important questions regarding exposure: is there evidence of a prior or continuing release; is there known or suspected exposure to the public at significant levels; and, could future releases result in significant public exposure? Steps 4 and 6 are essentially responses to those questions. While the steps outlined in Figure 1 represent the basic decision-making process for EIR reviews, reviewers will not necessarily complete each step in turn before moving to the next. Cases of apparent significant public exposure will require response before all of the other steps have been completed. Some activities may be taken simultaneously, e.g., reviewers may conduct the analysis needed for Step 5 at the same time a RFA is being conducted under Step 2. It is expected that the EIR review process will help the permit writer focus on the potential for exposure throughout the permit review process.

Figure 1. Outline of EIR Review Process


Applicant submits EIR
[1]
Public submissions
To ATSDR and forwarded to EPA/State
EPA/State does initial screen
Completeness review of EIR based on Permit Applicants' Guidance Manual (coordinated with Part B review)
incomplete
revision
Additional data from applicant
complete
Technical review of EIR to address steps 2 through 6 (using other data as needed)
[2]
Is there evidence of significant prior or continuing release?
unknown
new data
Gather further data, using permit process, 3004(u) RFA, enforcement orders, etc.
yes
no
[5]
Could future release result in significant public exposure?
no
Usual permitting process
yes
[6]
Consider permit conditions to mitigate potential exposure (or permit denial)
[3]
Is there known or suspected exposure to the public at significant levels?
unknown
new data
Gather further data, using permit process, 3004(u) RFI, enforcement orders, etc.
Use of ORD, ATSDR, or PAT for technical assistance
no
[4(c)]
Consider corrective action as needed
yes
[4(a)]
Consider interim remedial action and public involvement as needed
[4(b)]
Consider Health Assessment by ATSDR, with HQ (OSWER) concurrence

This Guidance is organized according to the steps in Figure 1. A checklist and tables are presented in this Guidance to assist in summarizing the results of the EIR review. These checklists and tables are provided as examples only. The Regions are welcome to revise the format and content of these documents in order to conform to Regional priorities and methods. Attachments at the end of the Guidance include a completeness checklist (Attachment II), and the types of health evaluations ATSDR may perform when requested (Attachment III).

E. Relationship to Existing RCRA Programs

This Guidance describes the overall §3019 review process, and how this review should be integrated into existing RCRA activities. RCRA programs are already in place to identify, investigate, and clean up prior/continuing releases to ground water (Subpart F regulations) and other pathways (RFA/RFI process). Therefore, the two primary goals in implementing §3019 are to: (1) identify human exposures to past releases that may require ATSDR involvement; and, (2) to identify potential exposures from future releases that may be mitigated by specific permit conditions.

The RFA/RFI and permitting programs should provide the information needed to determine if a release has occurred and if human exposure is likely. These activities should also generate most of the documentation the EIR reviewer needs for the §3019 review process. The EIR reviewer is required to prepare a separate report for §3019 when the Regional Administrator (or his designee) believes that a site is a candidate for referral to ATSDR for a health assessment. This requires the submittal of a summary report to EPA Headquarters for concurrence prior to referral to ATSDR (see Section III.C.2). The EIR reviewer should also produce a brief memorandum for the administrative record at other important decision points, i.e., the results of the completeness check/initial screen (Step 1), and the examination of potential exposures to future releases (Step 5). In addition, the reviewer should write a short memorandum for the record documenting a decision not to refer a site to ATSDR, and summarizing why the site does not meet the necessary criteria for referral (see Section III.B.1). Documentation of these decisions may be more important for sites where public concerns exist.

The prevention of releases and subsequent human exposure should already be an integral part of the permitting process. However, Step 5 of the EIR review process provides the permit writer with the opportunity to identify sites that require special permit conditions to mitigate possible risks from future releases. Section III.D provides a qualitative approach that may be used in completing Step 5.

The exposure information review process outlined in Figure 1 illustrates the need to integrate this review with ongoing and planned permitting and enforcement activities. Which of the Steps are completed prior to permit issuance depends, to some extent, on Regional priorities for a particular site. Normally,

Steps 1, 2, 5, and 6 will be completed at most sites prior to issuing the permit. In addition, the permit writer should make at least an initial decision whether the potential for significant public exposure (Step 3) warrants action via enforcement orders (e.g., 3008(h)) before permitting. Recommendations on the appropriate use of the investigation/corrective measure authorities for the EIR review are described in Section III.B.

F. State Roles in EIR Reviews

States with final authorization are required under 40 CFR 271.21(e) to adopt requirements equivalent to any new Federal requirements. Pursuant to Section 3006(g) of RCRA, the requirements of Section 3019 will be implemented by EPA until each State receives authorization for this provision. Until States receive such authorization, the Regions may amend existing grant Memoranda of Agreement (MOA) with States to allow them to assist in reviewing the EIRs. This may be especially helpful where the State is already reviewing the Part B application. The State's role in implementing Section 3019 should be clearly defined in the MOA or other agreements with EPA. The Region will need to oversee State reviews and follow up if more information is needed under Section 3019, if referral to the Agency for Toxic Substances and Diseases Registry (ATSDR) is deemed necessary, or if new permit conditions are needed under 3005(c). Section 3005(c) (the "omnibus" provision) is discussed in Section III.E. of this guidance.

II. EIR INITIAL SCREEN AND COMPLETENESS REVIEW (STEP 1)

A. Setting Priorities for EIR Reviews/Identifying Imminent Hazards

Since the EIR is based in large part on information from the Part B application, it makes sense in most cases to perform the Part B and EIR reviews concurrently. Accordingly, the order in which EIRs are reviewed depends largely on the order in which the Part B applications are reviewed. (Since Part B reviews should generally be conducted in order of environmental significance, as reflected in the annual Agency Guidance and the National Permits Strategy, the priorities for EIR reviews will therefore have an environmental basis as well.) Nevertheless, the permit writer should conduct an initial screen of all EIRs upon receipt. If the initial screen indicates that the EIR provides new evidence of a release and/or potential exposure, the permit writer should reevaluate the environmental significance of the facility and consider raising the technical review of the Part B and EIR to a higher priority. If the EIR reviewer suspects an imminent hazard, program and enforcement personnel should be consulted immediately to formulate an appropriate course of action. Section III.C describes interim remedial measures and corrective action responses that may be necessary in these cases.

There will be situations where the Part B and the EIR will not be reviewed concurrently. For instance, when an EIR is submitted for a facility whose draft permit has been prepared, it will usually be appropriate to conduct a full EIR review as soon as possible even though the Part B review has already been completed. The EIR reviewer in this case must be particularly careful to ensure that the data provided in the EIR and in the Part B are consistent and that no new information is provided in the EIR which affects the draft permit conditions. Unless the draft permit has already been issued, the EIR reviewer is advised to review the EIR before the draft permit goes to public notice.

B. Performing the EIR Completeness Review

1. EIR Completeness Review Format

The EIR should be reviewed for completeness based on the Permit Applicants' Guidance Manual for Exposure Information Under RCRA 3019 (PAGM). The EIR completeness review may be conducted in a fashion similar to that used for a Part B application completeness review. The EIR reviewer may fill out a completeness checklist and develop corresponding comments to summarize any important omissions in the EIR. A completeness checklist has been provided in Attachment II and may be used as a guide by the EIR reviewer during a completeness check. This checklist is based on the permit applicants' checklist found in the PAGM; however, it has been expanded and revised to include a section on the "potential for human exposure" narrative required of the owner/operator.

Although the Part B and EIR reviews should be conducted concurrently whenever possible, any requests to the owner/operator for missing information required under 3019 should remain separate from a Part B Notice of Deficiency (NOD) because the EIR is not legally a part of the permit application. The regulations in 40 CFR 270.10(c) were amended on July 15, 1985 to provide that a Part B which is not accompanied by an EIR will not be deemed incomplete on that basis alone. The permit writer may find deficiencies in the Part B which impact the EIR. In this case, a warning letter or enforcement order containing the EIR completeness comments should note these deficiencies by referencing the deficiency comments in the Part B Notice of Deficiency (NOD). For example, if the Part B inadequately described overtopping control at the surface impoundment, then the EIR checklist and comments may simply instruct the applicant to: "See Part B NOD Comment # __ regarding overtopping control." Any comments generated from an EIR review should be simply entitled "EIR Completeness Review Comments" rather than "Notice of Deficiency Comments", to further distinguish the EIR review from the Part B review.

2. Other Information Sources

a. Permit Writer and Compliance/Enforcement Personnel

In addition to the Part B application, several other information sources may be useful in a completeness review of the EIR. Both the permit writer and the enforcement official may have knowledge of the facility's history which will be helpful in determining whether there are significant omissions in the applicant's submittal or in pursuing any EIR reference to other RCRA documents, such as 3004(u) SWMU response letters or previous facility inspection, compliance, or enforcement reports.

b. Other Federal/State Agencies

The EIR reviewer may consider contacting other Federal or State environmental agencies during the completeness review if an applicant's EIR refers to relevant information which is contained in documents located at these agencies. For example, the EIR may reference or summarize NPDES permit information or air monitoring reports which may be located in the Regional EPA offices or State Water/Air Offices. If the information appears to be important (e.g., if a release is indicated) the reviewer may wish to confirm that the document is accessible and contains the expected information. If important documents are not accessible to the EIR reviewer (s)he may request the applicant to submit a copy of the relevant information.

c. Public Submissions

The Exposure Information provision of RCRA also allows the public to submit information on possible exposures. Public submittals may be received by EPA either directly, or via reports forwarded to EPA from ATSDR. Upon receipt of public submissions relating to a RCRA site, ATSDR should contact the appropriate EPA Regional staff and forward a copy of the submission. Regional staff should attempt to coordinate any needed response to the public with any response planned by ATSDR, and EPA Public Involvement staff should be consulted in these situations. In addition to providing important information to the reviewer, a report of suspected human exposure from the public may create a rather sensitive situation in terms of public fears and expectations. The Revised National Permits Strategy (July, 1985) encourages early public involvement in permitting facilities and directs the Region or authorized State to prepare public participation plans for "environmentally significant" facilities. Furthermore, the Permits Strategy recommends that the exposure information be included early in the public participation process for these environmentally significant facilities.

3. Determining the Adequacy of Submitted Information

RCRA Section 3019 requires the applicant to provide all "reasonably ascertainable information." Although much of the information in the EIR can be cross-referenced to the Part B application, the PAGM does require the applicant to submit

additional information. The legislative history of Section 3019 indicates that Congress did not expect applicants to develop major pieces of new information; however, if applicants do have access to already existing data, they should submit or cite the data, or provide an explanation as to why they could not obtain the data. See the PAGM for additional discussion of this topic.

Unlike the requirements for the Part B, there is no regulatory requirement for a "complete" EIR beyond the 40 CFR 270.10(j) requirement to submit exposure information. The PAGM states that applicants who fully provide the information outlined in that document will be considered to have satisfied the information requirements of Section 3019. From a practical viewpoint, EIR reviewers should focus on missing information that will be important in defining one of the three components of exposure, i.e., data on releases, pathway characteristics, and target populations. Therefore, a reviewer need not literally apply the PAGM information requirements and request that the applicant submit missing information just for the sake of completeness. Additional or missing information should only be requested when it would be useful in determining human exposure. For example, if an applicant discussed surface water use within a two-mile radius of the facility, rather than the three-mile radius requested in the PAGM, the permit writer should decide whether the additional one-mile radius would really be helpful in determining human exposure potential.

An important question the EIR reviewer needs to consider is the best way to collect the further information he/she feels is necessary to complete the EIR review. If the EIR submission is obviously incomplete and information missing is deemed important, the EIR reviewer may request through a warning letter or an enforcement order issued under the authority of Section 3008, that the owner/operator submit the information. If a Part B Notice of Deficiency (NOD) is issued for the facility, the EIR warning letter should <u>accompany</u> the NOD, if possible. Additionally, the EIR information request may be included in an enforcement order that is issued to require additional Part B information.

However, the needed information might also be gathered by the reviewer directly from other sources (e.g., State files) either during the EIR review or, perhaps, as part of the initial data gathering efforts for any RCRA Facility Assessment activities planned under Section 3004(u). The EIR reviewer must determine which approach makes the most efficient use of resources while also allowing important information to be gathered in a timely and complete fashion.

III. EIR TECHNICAL REVIEW (Steps 2 through 6)

A. Evidence of Significant Prior or Continuing Release (Step 2)

Once the EIR is determined to be complete, the reviewer should review existing data for evidence of significant prior or continuing releases from the subject landfill or surface impoundment. As noted previously, existing RCRA permitting and corrective action programs should provide the information to answer this question.

1. Definition of "Significant Release"

In the case of ground-water releases, Subparts F to 40 CFR Parts 264 and 265 provide regulatory definitions of a "release". Detection of any parameter above background usually forces the owner/operator to undertake an extensive monitoring program to characterize the extent of the contamination. Therefore, essentially all releases to ground water from units subject to §3019 will be examined through the permitting process.

Definitions of "release" for the corrective action authorities (3004(u) and 3008(h)) are given in the RFA Guidance and in the Preamble to the Codification Rule (50 FR 28713, July 15, 1985). These documents define "release" as any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or disposing into the environment. Furthermore, the "environment" includes all media, i.e., air, surface water, ground water, and unsaturated soils. The RFA process attempts to identify releases that threaten human health and the environment. Although Section 3019 is concerned with only human exposure, these definitions used by the RFA process are generally applicable to the 3019 process.

A "significant" release can be further analyzed in terms of the three exposure criteria, i.e., the type and amount of material released, possible pathways for migration, and the presence of nearby populations. However, in this initial stage of identifying releases, the primary concern is gathering enough data to confirm that a release of potential significance has occurred. The extent and seriousness of a release will usually require further investigation by the owner/operator.

2. Useful Information Sources

If the EIR does not contain conclusive evidence of prior or continuing releases at the facility, or if the data concerning the release are not complete, then the EIR reviewer can obtain additional data via a number of information sources. These sources are described in more detail in the RFA Guidance, and relevant information should be gathered and assessed during the initial stage of the RFA process.

a. RCRA Part B Permit Application

One of the best sources of information is the Part B permit application. Most importantly, information concerning releases to ground water is a required element of the application. If the facility has an adequate well system, the ground-water monitoring data developed under Part 265 and § 270.14(c) should reveal if releases to ground water have occurred. Owners/operators that have submitted inadequate ground-water data in their Part Bs must upgrade their monitoring systems or conduct additional sampling as needed. See the Draft RCRA Ground-Water Monitoring Technical Enforcement Guidance Document (August, 1985) for details in addressing inadequate ground-water data.

In addition, required Part B information concerning contingency plans, unit designs, and other features of the facility can provide useful background on any releases indicated. The completeness checklist for the EIR given in Attachment II lists portions of the Part B that may be relevant for assessing releases.

b. RCRA Sections 3004(u) and 3008(h)

Information concerning releases to surface water, air, soil, and via subsurface gas may be obtained under the authority of RCRA Sections 3004(u) and 3008(h), which authorize corrective action for continuing releases. Data can be gathered from the SWMU letter responses, from the RFA process, and through 3008(h) Interim Status Compliance Orders. As described previously, these authorities will perhaps provide the most effective means of obtaining additional information. The EIR reviewer should consult the RFA Guidance for implementing 3004(u) and the Porter/Price memo (December 16, 1985) on the use of 3008(h).

c. Compliance and Enforcement Records

Information pertaining to the general compliance and enforcement status of the facility should be evaluated with the EIR. In addition to the records of the operator's compliance with the 40 CFR 265 requirements for ground-water monitoring, any problems in compliance with other RCRA Standards may also be indicative of potential releases. Both the permitting and enforcement files should be examined for evidence of improper management of waste that may have led to releases to any other pathways.

Additional data gathered from other EPA programs, especially CERCLA and NPDES, may also provide data on possible releases. Superfund sources that may be useful include CERCLA PA/SI and RI/FS reports and Reportable Quantity notifications. Information from Federal/State air and water agencies, OSHA, and transportation related agencies may provide further evidence of release via

the air, water, worker management, and transportation pathways, respectively. Especially useful are records of chronic violations indicative of releases. Although the owner/operator should have summarized much of this data in the EIR, the reviewer may have to gather referenced documents or incomplete/missing data from these sources.

3. Deciding Future Course of Action

After considering the data initially available the EIR reviewer must decide whether or not (s)he needs additional data to rule out or confirm the occurrence of a prior (or continuing) release. If the available information is adequate, the reviewer may decide that no evidence for a significant release exists; in this case, the only Steps remaining in the EIR review process are 5 and 6, i.e., the consideration of any impacts of future releases and possible permit conditions needed to address these concerns. On the other hand, if releases of potential significance are known (or suspected) to have occurred, then a more detailed examination of the exposure potential is required as described in the following section (Step 3).

In some cases additional information will be needed to address possible releases to one or more of the exposure pathways. As noted above, these questions may be answered through the RFA or normal permitting processes. Alternatively, the EIR reviewer may be able to gather enough information from existing records or other Regional, State, or local officials to satisfy lingering doubts or conerns about particular leaks, accidents, etc.

Figure 2 provides an example of how evidence of releases and possible follow-up actions for each pathway were summarized, following review of an actual EIR and other information regarding a RCRA site. While this example was derived from a review of data from an actual facility, the case was simplified somewhat for illustratative purposes. In order to put this example in perspective, Figure 2 also contains background information on the site.

Figure 2 describes the follow up actions that might be undertaken during Step 2 to determine if a release has in fact occurred, and whether the release warrants further investigation. The EIR reviewer may wish to write up a short summary of the results of his/her analysis at this stage in the process. However, other reports or records produced as part of the permitting or RFA process should be adequate to document this stage of EIR review.

Figure 2. Example of Summary Sheet Following Initial Review of Release Data: Release Evidence and Suggested Follow Up.

Background Summary of Example Site

Operations: A small off-site commercial facility treats and stores hazardous waste; operations include waste oil/gasoline recycling, cyanide waste treatment, solvent recovery, other treatment.

Units of Concern: Surface impoundments are used to store and treat wastes before discharge to waste water treatment plant on site.

Location: The facility is located in an industrialized area, also bounded by residential areas.

Pathway	Summary of Release Evidence	Possible Follow Up Action
Ground Water	Existing Part B data not adequate; monitoring plan in development.	Follow permitting/enforcement procedures to obtain necessary monitoring data.
Surface Water	Possible releases via contaminated run-off from area around unit which enters water through municipal sewer system; subsequent treatment by POTW unclear.	Determine if run-off should be managed as hazardous waste. Collect available analytical data on run-off and determine if discharge goes to POTW.
Air	Definite release based on odor. State monitoring program in development. Some corrective action also taken.	Obtain data from air monitoring program where available, then consider need for futher investigation to study extent of potential exposure and adequacy of corrective action taken.
Soil	Likely releases from spills, leaks, and accidents. Extent of clean up of these past releases unclear.	Examine any existing soil analysis undertaken and assess need for RFA or RFI follow up.

Figure 2. (continued)

Pathway	Release Evidence	Possible Follow Up Action
Subsurface Gas	No evidence; unlikely for surface impoundment.	None necessary.
Transportation	Facility sweeps nearby streets to remove dirt, perhaps due to track-out problem; may not be related to operation of surface impoundments. No record of releases from spills off-site.	Review existing soil analysis as noted above. Consider requiring o/o to analyze dirt found on nearby residential street for likely hazardous constituents via RFA or RFI.
Management Practices	Occupational records submitted do not indicate significant illnesses due to unsafe operating conditions. No other serious enforcement problems found for facility operation, beyond those already noted.	None necessary

B. Determination of Known/Suspected Public Exposures at Significant Levels (Step 3)

Once a prior or continuing release from the surface impoundment or landfill has been documented, the EIR reviewer must determine whether the public has been exposed to the release, and if so, whether there is "substantial potential risk" due to that exposure (see §3019(b)).

The three human exposure elements noted earlier must be addressed in order to determine whether the public has been exposed to a hazardous release and the significance of this exposure. Listed below are the three exposure elements and the information needed by the reviewer to assess the presence of these components. When a release of concern from a unit is identified, then the reviewer must assess the adequacy of the supporting evidence to confirm that all three elements for public exposure are documented.

1. Human Exposure Components

a. Evidence that the release from the landfill or surface impoundment contains hazardous wastes or constituents. Documentation would include:

- Monitoring data confirming a release from the unit; and
- Data indicating that the hazardous materials or constituents of concern are present in the release from the unit.

b. Evidence that the release containing hazardous materials or constituents of concern has migrated off-site (or to on-site human exposure point). Evidence includes:

- Monitoring data confirming off-site contamination; and
- Monitoring/modeling data indicating the extent of release and migration via a plausible pathway.

c. Evidence showing a likelihood that a nearby population has been, or is being, exposed to toxic constituents from the release at levels constituting a substantial risk to human health. Information needed would include:

- Monitoring/modeling data suggesting that the public is being, or has been, exposed (e.g., contaminated drinking water wells); and
- Data showing levels of constituents at the exposure point indicative of a health threat (e.g., levels exceed existing Agency standards or criteria).

2. Gathering Data to Document Exposure

a. Use of the Permitting Process

The permit writer should use the permit process and the 3004(u) program to gather information concerning possible releases and human exposure. The first exposure element, the existence of a documented release, should have largely been satisfied by a positive determination for Step 2. Any release should be documented through the usual permitting process (for ground water) or through 3004(u)/3008(h) RFA studies (for other pathways). The second element, documented off-site migration, will normally require the owner/operator to investigate the extent of migration, both in terms of the constituents released and the area contaminated.

In the case of ground water contamination, the existing RCRA Subpart F regulations require the owner/operator to characterize the plume of contamination in some detail, and devise a corrective action program. The contaminated ground water must be cleaned up to Ground Water Protection Standards set at background levels or existing drinking water standards, unless an Alternate Concentration Limit (ACL) is approved. An ACL demonstration is essentially an exposure/risk assessment for a ground water contaminant, and a successful demonstration should be sufficient evidence that no potential for significant human exposure exists for that constituent. An unsuccessful ACL demonstration may still provide information useful to the EIR reviewer in deciding if human exposure is likely.

However, the existing Subpart F regulations only require the owner/operator to clean up contamination to the facility boundary. Section 3004(v) of HWSA requires corrective measures (for releases to all pathways) beyond the facility boundary, but §3004(v) has not yet been codified in the regulations. (Pending promulgation of these regulations, EPA may issue 3008(h) orders to implement the directives of 3004(v).)

In some cases of suspected off-site migration of unit releases, the owner/operator may elect to gather off-site data to establish the presence and extent of any contamination. In the past, cooperative owner/operators have been willing to monitor off-site ground water for plume movement in order to devise adequate corrective action plans, or to support ACL demonstrations. Permit writers are encouraged to try to obtain data on off-site releases from willing owners/operators.

For releases to pathways other than ground water, the owner/operator may be required to gather data on the extent of contamination under either 3004(u) or 3008(h) authorities. The permit writer must realize, however, that an investigation under 3004(u) on the extent of the contamination may not be initiated until after the permit is issued. Generally, compliance schedules will be used in the permit to require the owner/operator to

conduct a RCRA Facility Investigation (RFI) under 3004(u). Some information on the level of contamination may be gathered from the owner/operator's response to the initial SWMU letter and from the RFA investigation performed under 3004(u). However, in most cases, monitoring results at this stage will probably be focused on detecting a release from a SWMU, not on determining the extent of contamination.

Because RFIs required under 3004(u) will not generally be used to gather data prior to permit issuance, the permit writer (in conjunction with appropriate enforcement staff) should consider whether enforcement orders are needed to ensure an investigation of releases and the likely human exposure potential before permit issuance. The following section describe the enforcement authorities that might be used and the situations that may warrant their use.

b. Use of Enforcement Orders

An enforcement order may be issued to require the owner/operator (o/o) to gather information (on-site or off-site) under 3013 or 3008(h) authorities for releases to any pathway. The issuance of a 3013 order requires evidence showing that the presence or release of hazardous waste from a facility may present a substantial hazard to human health or the environment. Note that 3013 gives EPA the authority to perform any needed investigations and recover the costs later if the o/o is incapable of (or refuses to) gather the required information. The use of a 3008(h) order requires evidence that a release (to any medium) has occurred. See the RCRA Ground-Water Monitoring Complicance Order Guidance (August, 1985) for a description of these two types of orders, and the recent Porter/Price Memo on the use of 3008(h), "Interpretation of Section 3008(h) of the Solid Waste Disposal Act" (December 16, 1985).

Whether to undertake the investigation of a release from a facility through the permitting process or an enforcement order will depend on Regional priorities, resources, and various site specific factors. This decision will encompass considerations that go beyond the human exposure concerns of the 3019 EIR review process. For example, 3008(h) orders may be used when a release is migrating rapidly and may move off-site. In addition, the corrective action programs will be used to investigate releases from all suspect SWMUs at a facility, not just regulated landfills and surface impoundments.

Another important factor to consider is how close the facility is to receiving a permit. If permit issuance appears likely within the near future, the permit writer might decide to incorporate a compliance schedule for a RFI in the permit, rather than hold up the permit while awaiting the issuance of an order to gather more information. A related concern is the level of cooperation exhibited by the owner/operator in the past, and the likelihood that he will meet the compliance schedule for RFI in the permit.

Situations which might prompt the permit writer to seek more immediate exposure information than could be provided through the 3004(u) process include cases in which the existing data indicate a high potential for human exposure. The EIR reviewer should undertake a preliminary analysis of available information to estimate the potential impact of a known release. For example, if evidence of a release and movement off-site to surface water exists (e.g., fish kill, complaints of tainted water), the EIR reviewer should consider the likelihood of releases from the unit reaching surface water (distance to river, characteristics of intervening terrain), potential transport and dilution (river flow and size vs. potential release, the properties of likely constituents in a release), and the likelihood of human exposure (distance to downstream intakes, other uses of surface water).

After such a preliminary analysis, the EIR reviewer may determine that the release requires attention prior to permit issuance. In such cases, the EIR reviewer should consult with enforcement and permitting personnel to map out an appropriate strategy (which may include the use of 3008(h) or 3013 orders) to obtain the needed data and initiate corrective action.

Even in cases of suspected human exposure, the RFI may be implemented through the use of 3004(u) compliance schedules if there is no current (or imminent) exposure potential. For example, a case of past human exposure (e.g., eating of contaminated fish) due to a prior (but not continuing) release to surface water, might be addressed after permit issuance if no current or imminent human exposure is expected. [Note, that if the elements of exposure can be adequately documented, these situations may still be candidates for referral to ATSDR as described in Section III.C.2.]

c. Other Sources of Information

Many of the additional information sources used in determining evidence of a release may also provide data on migration of the waste off-site and possible human exposure. Particularly important at this stage in the review is any evidence of health complaints related to the site. Public submissions may provide indications of exposure. For sites with suspected human exposure, local or State health departments should also be contacted by the EIR reviewer to check for any reports of health concerns in the immediate vicinity of the facility. It is important for Regional and State permitting staff to establish contacts with the local health departments for sites at which real problems may exist. For sites that are eventually referred to ATSDR for health assessments, one of the first steps taken by ATSDR would be to contact these local departments for health complaints in the area.

3. Technical Assistance

The EIR reviewer is encouraged to use all of the above information sources and routes for gathering the data necessary to

confirm the existence (or absence) of all three exposure components (release, migration, receptor location). After examining the data gathered under the permitting and enforcement processes, the EIR reviewer may have some questions concerning the potential health impacts of documented/suspected human exposures. The primary contact for technical assistance will be the Permit Assistance Team (PAT) at Headquarters as described below. The capabilities and possible uses of ORD and ATSDR are also discussed. Finally, existing EPA manuals which could provide the EIR reviewer with possible approaches for interpreting the assembled data are noted.

a. Permit Assistance Team (PAT)

The EPA Permit Assistance Team (PAT) at Headquarters (FTS/382-4740) stands ready to provide technical assistance, to coordinate assistance from ORD and ATSDR, and to provide help in deciding when referral to ATSDR is warranted. ORD and ATSDR may, to a limited extent, be accessed directly by the EIR reviewer on a consultative basis by telephoning the appropriate individuals (see below). Such informal consultations could provide quick response to questions on possible health effects raised by information available at that point. However, if the EIR reviewer needs more extensive technical assistance (e.g., detailed review of written reports, monitoring data, models, etc.), (s)he should contact the PAT at Headquarters. The PAT will draw on the expertise available within OSW, other EPA Offices, and ATSDR as needed to respond to the Regional request for assistance. If warranted, health assessments may be recommended for some facilities, as described in Step 4 of EIR review process.

b. Office of Research and Development (ORD)

The office within ORD which may be useful to the EIR reviewer is the Office of Health and Environmental Assessment (OHEA). Within OHEA, the two groups which can provide the most assistance in evaluating EIRs are the Exposure Assessment Group (EAG), located in Washington, D.C., and the Environmental Criteria and Assessment Office located in Cincinnati, Ohio (ECAO-Cin).

ECAO-Cin can provide assistance in determining whether any constituents found at off-site exposure points constitute a public health threat at measured or projected exposure levels. ECAO-Cin has developed a Rapid Response Toxicity Program to aid Regional and State offices in quickly (i.e., 48 hrs.) evaluating potential human health hazards posed by chemical releases. These responses may include: rough estimates of cancer risk or toxic potential; identification of key chemicals for further monitoring; a rough description of possible exposure situations and their potential health hazards; and some recommendations for future assessment efforts.

Most recommendations will require the involvement of EAG to evaluate monitoring data/methods and for a discussion of likely exposure scenarios and their uncertainties. While this program is designed to provide only preliminary estimates of health hazards, more detailed site assessments can also be provided. Requests for rapid technical response from ECAO-Cin may be forwarded directly to Chris DeRosa (FTS/684-7534). Requests for more detailed assessments should be sent to the PAT, which will coordinate ECAO/EAG assistance.

Through the PAT, OHEA may be able to help the EIR reviewer complete an exposure/risk analysis to project the likely effects from past or ongoing exposure to hazardous constituents. With the expertise available in OSW and ORD, the PAT can recommend a variety of models for use at a particular site, and may be able to assist in using this type of analysis in determining the extent of constituent transport via the usual pathways and the likely levels of contamination at projected exposure points. The PAT may also provide assistance in reviewing any analyses or projections submitted by the owner/operator.

b. <u>The Agency for Toxic Substances and Disease Registry (ATSDR)</u>

RCRA §3019 specifically identifies ATSDR as a potential participant in the evaluation of exposure information. ATSDR is an agency within the Public Health Service, Department of Health and Human Services. Its overall function is to carry out health-related responsibilities under CERCLA and RCRA. An Inter-agency Agreement (IAG) has been established to define RCRA-ATSDR interactions, and a Memorandum of Understanding (MOU) is currently under development.

Sites will be referred to ATSDR when a health assessment is warranted, as described in Step 4(b). ATSDR has the ability to perform several different levels of health assessment (see Attachment III), and the more extensive studies will usually be preceded by more limited investigations. ATSDR's major task in any level of health assessment will be to evaluate populations with known (or suspected) exposure to hazardous constituents as a result of a release from a regulated surface impoundment or landfill.

As noted in the Attachment III, ATSDR may also provide informal "health consultations" to provide health advice and/or health effects information regarding a specific site. The Regions should limit their consultative use of ATSDR before referral to situations that require relatively short-term assistance, e.g., assistance available through a telephone call. Requests for more extensive work should be sent to the PAT (ATSDR will also have a representative on the PAT), and the PAT will coordinate ATSDR assistance. The EIR reviewer may contact Ralph Touch at ATSDR (FTS/236-4551) directly for short-term technical assistance.

c. Technical Documents

The EIR reviewer may consult a number of EPA manuals which provide a variety of approaches in assessing the exposure potential and health impact of releases from hazardous waste sites. As mentioned previously, the RFA Guidance may prove useful in the early stages of release investigation. Perhaps most helpful in cases when the EIR reviewer feels a more extensive analysis of exposure potential is waranted is the Superfund Public Health Evaluation Manual (December, 1985) and the companion Superfund Assessment Manual (January, 1986). Copies of these manuals have been distributed to Regional Division Directors and Branch Chiefs; current information on the availability of these documents may be obtained by contacting OERR (382-2182).

Elements of the Public Health Evaluation Manual that may be useful in cases where serious exposure problems are suspected include: procedures for selecting indicator chemicals; physical/chemical and toxicity data for chemicals; and a summary of existing EPA standards and criteria for hazardous substances.

The Exposure Assessment Manual is a complex and highly technical compendium of approaches and models to use in assessing exposure potential. The data requirements of the various models discussed are provided. The extensive data needs illustrate the major problem in undertaking such a detailed analysis, i.e., much of the information needed to use quantitative modeling will not be available at many RCRA sites, and expensive and lengthy data gathering efforts would be required. Therefore, the EIR reviewer is urged to limit the use of complex models unless the data are available, and may seek assistance in the use of these manuals from the PAT.

C. Possible Actions in Cases of Human Exposure (Steps 4(a), 4(b), and 4(c))

If the EIR reviewer believes that more information is required to decide if a release has resulted in known or suspected exposure to the public at significant levels, (s)he should obtain the necessary data as outlined above. If (s)he decides that the criteria for human exposure (see Section III.B.1) are not met, and that significant human exposure is unlikely, then the EIR reviewer must still consider whether corrective action is needed to clean up the release (Step 4(c)). After this, the reviewer should also consider the impact of future releases (Step 5) and possible permit changes, if needed (Step 6). These steps are discussed in later sections of this guidance. The EIR reviewer may wish to prepare a short report for the administrative record summarizing decisions not to refer facilities for health assessments. Such reports may be useful documents for explaining the decision during public hearings.

If the components for human exposure given in Section III.B.1 are present, there are several actions the EIR reviewer should

consider. These actions include implementing interim remedial actions with appropriate public involvement (Step 4(a)), referral to ATSDR for a health assessment (Step 4(b)), and final corrective action (Step 4(c). Which actions are completed and the order in which these activities are pursued will depend on the situation; normally, however, the need for interim measures should be assessed first to insure that continuing public exposure is minimized. Furthermore, while a completed health assessment could be useful in designing a final corrective action plan, corrective action should not be significantly delayed.

1. Interim Remedial Action (Step 4(a))

Interim remedial measures may be necessary to prevent further human exposure. These may be pursued through the various enforcement and program authorities available to EPA, such as RCRA Sections 3008 and 7003, and CERCLA Sections 104 and 106. Examples of interim remedial action would include off-site and source control measures, such as:

- o evacuation of the public from the area if the problem is so serious as to pose an imminent and substantial endangerment;
- o requiring the owner/operator to provide bottled water and/or drinking water treatment when public drinking water is the pathway of exposure;
- o temporary suspension of facility operations that may cause or exacerbate the problem;
- o temporary removal/storage of wastes of concern, and other interim measures to contain or prevent releases (e.g., berm stabilization).

The EIR reviewer should consult with appropriate permitting and enforcement staff to map out a plan for needed remedial actions. A review of response actions available under §3008(h) may be found in the draft guidance, "RCRA §3008(h) Corrective Action Interim Measures", issued by OWPE (latest draft, May 13, 1986). The reviewer should also contact public participation staff in order to design and implement a public information program to inform the public of the health concerns associated with the facility and the immediate and long-term actions planned to address the problems.

2. Referral to ATSDR for Health Assessment (Step 4(b))

a. Referral Authority and Concurrence

If there is sufficient evidence that a release from a regulated surface impoundment or landfill has resulted in significant human exposure (i.e., if the three necessary components of exposure have been established for any of the exposure pathways), then EPA (or authorized States) may refer the facility to ATSDR for a health assessment (Step 4(b)). While the statute originally

assigned the authority to refer a facility to ATSDR to the EPA Administrator, this authority has been delegated to the Regional Administrators. The Regional Administrator, if (s)he so chooses, may redelegate the authority to the Division Director level.

However, the Delegation provides that, before seeking a health assessment from ATSDR under §3019, the Region must obtain the concurrence of the Assistant Administrator for Solid Waste and Emergency Response. This concurrence requirement is designed to ensure that important sites are assessed first, and to encourage national consistency in the types of sites that are referred to ATSDR. Regions seeking concurrence for referrals to ATSDR should contact the Permit Assistance Team (PAT) at EPA Headquarters (contact Terry Grogan or Bob Kayser, FTS/382-4740). The PAT will coordinate the review of the information by OSW, OWPE, ATSDR, and other EPA offices (e.g., ORD) as needed, and make recommendations to the Assistant Administrator concerning the referral.

b. Documentation of Referral Request

When a Region believes that a health assessment by ATSDR is necessary, the EIR reviewer must prepare a written report for submission to Headquarters which summarizes the exposure analysis completed to date, and identifies the pathways of concern. This report will serve several functions, including: (1) forcing the EIR reviewer to formally consider the adequacy of the assembled evidence prior to referral; (2) allowing the Headquarters concurrence group to review the data in a timely manner; and, (3) providing a useful summary document for initial review by ATSDR, if a health assessment is required.

This report must summarize the evidence that the three elements for human exposure are present at the site. Section III.B.1 describes the kinds of evidence needed to document human exposure. The report should follow a logical format and should include:

- background information on the facility (location, types of wastes handled, brief description of all units on site, nearby land use, map of facility);
- evidence confirming a significant release from the regulated surface impoundment or landfill (monitoring data and the level of confidence in data, all hazardous constituents detected, approximate quantitity of wastes released, identification of major constituents in waste);
- evidence indicating extent of contamination and migration pathway of released constituents (monitoring data or modeling results showing movement off-site, the ranges of substances detected throughout contaminated area);
- evidence indicating a likelihood of human exposure via ingestion, inhalation, or direct contact at levels suggesting a potential health threat (location of nearby populations, monitoring

data at exposure point, health complaints from public, records of local health departments, constituents measured or projected at levels exceeding Agency standards or other health-based criteria);

- on-going or planned activities to collect more data and institute remedial action at the site (including public participation plans);
- results of any preliminary evaluations or assessments of site data undertaken by the State, Region, ORD, ATSDR, the o/o, or others;
- level of health assessment sought (if possible, include specific questions); and,
- name and phone number of Regional/State contacts most familiar with details of the site.

The report should summarize pertinent monitoring data in tabular form with clear indications (i.e., on a map) of the sampling locations. Any analysis of the data (e.g., by the owner/operator, contractors, Regional/State staff) should be succinctly described, and any references used must be cited. While the level of effort required to prepare the referral report will vary with the complexity of the site, the report should be a summary document, not a lengthy treatise on the facility. Source documents (Part B, EIR, etc.) should be referenced for details, and copies of important pages from these documents may be provided.

3. Corrective Action (Step 4(c))

Corrective action will be considered whether or not the EIR reviewer determines that significant exposure to the public has occurred. If exposure routes have been documented and a health assessment is initiated, appropriate permitting and enforcement staff should be kept informed. Permit and/or enforcement staff developing the corrective action plan should coordinate the plan with the health assessment, if necessary. The level of clean-up may be affected by the results of the assessment, if for example, the health assessment uncovers a causal link between the level of the hazardous constituent at the exposure point and the particular health effects in the exposed population. In most cases, however, the permit writer is urged to proceed with permit issuance to begin initial clean up activities if the available data on the extent of contamination are adequate. The permit may be modified to incorporate any useful information arising out of health assessment activities. As described in section III.B, §3008(h) orders may be used to institute corrective action prior to permit issuance.

The EIR reviewer may decide that the evidence does not indicate that significant public exposure due to prior/continuing releases has occurred, and therefore, that referral to ATSDR is not warranted. However, the permit writer should still examine the need

for corrective measures to lessen the possibility of future exposures to past releases. In the case of ground-water contamination, of course, the Subpart F regulations (§264.100) require clean up to levels set by Ground-Water Protection Standards. There are other corrective action measures to take and several vehicles for requiring these measures. Guidance is being developed to assist the permit writer in instituting corrective measures under 3004(u), 3004(v), and 3008(h). These authorities are the primary vehicles available to the permit writer for clean up of releases from regulated units to media other than ground water.

In those situations involving an imminent and substantial endangerment to public health, EPA may take action under 7003 of RCRA or 106(a) of CERCLA to institute remedial action. The "Endangerment Assessment Memorandum" issued by J. Winston Porter (November 22, 1985) provides guidance on the preparation of endangerment assessments to support all administrative and judicial enforcement actions under CERCLA Section 106 and RCRA Section 7003. An endangerment assessment must be developed in order to document and justify that an imminent and substantial endangerment to public health or welfare exists. A supplement to the Guidance has also been prepared by the Office of Waste Programs Enforcement, in draft form, entitled the Endangerment Assessment Handbook (August, 1985).

These authorities described above allow EPA to force clean up of releases prior to actual human exposure. Therefore, the EIR reviewer and/or permit writer should consult with enforcement staff in cases that warrant corrective measures prior to permit issuance. Section III.E. of this guidance should also be consulted for possible use of the new "omnibus" provision (3005(c)(3)) in establishing additional permit conditions to address potential exposure concerns.

D. Determining the Potential for Significant Public Exposure From Future Releases (Step 5)

In addition to evaluating prior/continuing releases from all regulated surface impoundments or landfills (steps 2 through 4 in Figure 1), the EIR reviewer must also address the potential for human exposure in the case of future releases† (step 5). As such, Step 5 is the most conjectural part of the EIR review. When reviewing EIRs for new landfills and surface impoundments, the EIR review will consist only of this Step and Step 6, consideration of permit conditions necessary to prevent human exposure. The timing of Step 5 may vary depending on the need to investigate prior releases. In addition, the EIR reviewer and/or permit writer may wish to use this analysis of the impact of future releases as a tool in focusing attention on human exposure potential throughout the permitting and RFA/RFI processes.

---

†"Future releases" also include releases that may have already occurred, but are not yet detected.

1. General Approach

The reason for examining the impact of future releases is to highlight pathways of concern and allow permit conditions to be modified or strengthened to mitigate site-specific potential problems (Step 6). Of course, the occurrence of prior releases to a particular pathway, and any evidence of subsequent migration and human exposure, should be used as the primary indicator of the potential impact of future releases. This is why the flow chart in Figure 1 also leads the EIR reviewer to consider the impacts of future releases (Step 5) after the process for prior releases (Steps 2-4) is followed.

In the absence of a history of past releases, however, the EIR reviewer should consider the potential exposure if a release should occur. The EIR reviewer is encouraged to use a qualitative approach for screening facilities for possible exposure concerns from future releases. In a limited number of cases a more detailed evaluation may be warranted if the initial qualitative screen indicates that a future release from the unit is likely to result in significant human exposure. In these cases, the permit writer may wish to quantify possible exposure scenarios in order to justify the imposition of permit conditions that go beyond the existing Part 264 standards (see next section for a discussion of the new "omnibus" provision). Future guidance will provide information on applying a more quantitative approach.

The EIR reviewer may follow the general approach outlined below to qualitatively screen units. This approach examines the same elements for exposure as defined for past releases (i.e., release, migration, and receptor location). Due to the prospective nature of the evaluation, however, the approach first examines the route characteristics and receptor information assuming a release occurs. If a potential concern is identified, the design and operating features of the unit should be critically examined for their adequacy to prevent or detect releases. The infomation needed to evaluate the major pathways should be available from the EIR, the Part B, or the other information sources mentioned in Section I.

The requirement under 3019 to consider the impact of future releases (i.e., Step 5) has many features in common with the RCRA RFA process designed to implement 3004(u) and 3008(h). The potential for future releases becomes an important factor if the EIR reviewer decides that a particular pathway is of concern. Therefore, the EIR reviewer (and permit writer) should use the results of a RFA investigation as a valuable source of information in deciding if the location, design, and operating features of the unit are adequate to prevent (or render less likely) future releases to pathways of concern.

Because the RFA and EIR review processes share many similar concerns relating to the potential for a release and subsequent migration off-site, many elements of the methods given in the RFA guidance have been incorporated into the following qualitative

approach. The following sections describe important factors for each pathway that should by considered in an initial qualitative screen.

2. Pathway-Specific Factors

a. Ground Water

The EIR reviewer should examine the pertinent hydrogeological and geological factors of the site, as well as the location of possible target populations, in order to assess the potential impact if a future release to the ground-water pathway occurred. The important route characteristics and receptor information to examine are described below.

Route Characteristics Affecting Exposure Potential

An evaluation of the ground water pathway should indicate the potential for contaminant movement through the unsaturated zone to the aquifer and subsequent off-site migration in the ground water to human receptors. Therefore, the important characteristics to examine should include the soil characteristics (i.e., permeability) of the unsaturated zone, the depth of the aquifer, and the flow rate and direction of the ground water. If the hydrogeology of the site is properly defined in the Part B (including at least the permeablity of the saturated zone and the hydraulic head), the EIR reviewer should be able to estimate the time-of-travel (TOT) for the ground water to the facility boundary, and perhaps to the nearest off-site downgradient well. Other factors which may be important at some sites include the local climate (e.g., net precipitation, which would effect the generation of leachate), the existence of confined aquifers, the discharge of ground water to surface water, and seasonal variations in the water table.

Receptor information of prime importance include the location of the nearest down gradient wells, the uses of the ground water in the area, and magnitude of the population served by nearby wells. While drinking ground water is an obvious exposure route, other ground water uses may lead to human exposure through contamination of food crops (irrigation uses) or other food products (milk). In addition, nearby populations may be impacted if the site characteristics promote basement seepage into nearby buildings.

An example of a site of obvious concern would be one at which the unit overlies a highly permeable unsaturated zone (sand, silt, permeability $> 10^{-4}$ cm/sec), the aquifer is shallow, the ground-water flow is moderately fast, perhaps due to faults, joints, or solution channels (TOT to facility boundary < 5 yrs.), and nearby drinking water wells lie down gradient (TOT to nearest well < 10 yrs.). Conversely, if the aquifer were situated below an extensive impermeable layer (clay; permeability $< 10^{-6}$ cm/sec), the ground water flow was slow (TOT to facility boundary > 50 yrs.), and the aquifer was not presently used by nearby

populations, then the EIR reviewer could decide that exposures via this route are unlikely if a release occurred.

Situations which are not so clear-cut may still be of only limited concern if either a reasonable migration route (i.e., moderately fast ground water flow to off-site wells), or likely target receptors (i.e., nearby populations using the ground water) are not present. For these intermediate cases, however, the EIR reviewer may require more information on the hydrogeology, receptor locations, or aquifer uses. More definitive guidance on evaluating ground-water vunerability may be found in the manual Criteria for Identifying Areas of Vunerable Hydrogeology Under the Resource Conservation and Recovery Act (OSWER, July, 1986). The EIR reviewer should refer to this guidance if a more complete analysis of ground water location characteristics is warranted.

Unit Design and Operating Features

If the EIR reviewer has some concerns about the possible exposure to the public from releases to the ground water, then (s)he should undertake a review of the relevant design and operating features of the unit. The relevant features of landfills and surface impoundments are related to the containment of leachate and the leak detection/monitoring systems. The adequacy of the liner and leachate collection systems, leak detection procedures (e.g., routine leachate analysis), and the ground-water monitoring systems around the units should be reexamined. During this examination, the EIR reviewer should decide if any modifications to the existing systems are necessary to reduce the likelihood of releases (or increase the probability of detecting releases) to the ground water. Any special waste characteristics, or pre-treatment process that might affect the amount of liquid waste managed should also be considered.

b. Surface Water and Drainage

Assuming a release might occur, the EIR reviewer should first evaluate the potential for human exposure. Releases that occur to surface water and off-site surface drainage areas may arise from leaks, surface run-off, spills, or floods. The effectiveness of pertinent design/operating features should be examined if the EIR reviewer concludes that this pathway is of concern.

Route Characteristics Affecting Exposure Potential

The primary considerations in evaluating the potential for human exposure for this pathway are the proximity of the unit to surface water, the likelihood that a release would migrate overland, and the current uses of the surface water. Therefore, the requirements for a realistic surface water pathway for human exposure generally would include all of the following:

- surface water located close to the unit;
- the characteristics (slope, soil type, vegetation, paved areas) of the likely paths for run-off from the unit are sufficient for a release to reach the water; and
- use of the surface water for drinking water, commercial fishing, shellfish harvesting, or extensive agricultural (irrigation of food crops) or recreational uses.

For example, releases from units located in topographically depressed areas are unlikely to leave the site as run-off. Also, facilities located close to surface water may still be unlikely to contaminate this medium if the intervening terrain is characterized by sandy soil and heavy vegetation; in this case run-off is likely to migrate into the unsaturated or saturated zone. On the other hand, a pathway characterized by clayey soils, little vegetation, and/or the presence of natural or man-made run-off routes (e.g., ditches, paved areas, storm sewer systems, etc.) may indicate a potential problem if the usage of the surface water makes human exposure likely (e.g., drinking water intake or commercial fishing areas are a short distance downstream). The permit writer should also consider possible discharge of contaminated groundwater into surface water.

In the case of a likely route to the surface water, the EIR reviewer may examine the features of the surface water itself to estimate the impact of a release. For example, a release from a relatively small surface impoundment or a limited amount of run-off from a nearby landfill may not have a significant impact on a large, fast flowing river due to dilution. However, the validity of this type of assumption depends to a great degree on the characteristics of the chemical constituents which might be released, i.e. the toxicity and fate/transport properties of the substances. If the EIR reviewer feels that a more detailed evaluation of the potential for significant exposure due to future releases to surface water is required, (s)he may refer to the procedures contained in the RFA Guidance which discuss how to assess such releases.

Design and Operating Features

If a significant potential for exposure due to a future release to nearby surface water exists, the EIR reviewer should examine the pertinent design features. The effectiveness of landfill and surface impoundment run-off and erosion controls, the adequacy of collection and secondary containment systems, overflow alarms, automatic cut-off systems, and dike design should be considered for surface impoundments. (The EIR reviewer should also consult an OSW policy memorandum from John Skinner to the Regions dated November 14, 1985 for details on the management of precipitation run-off at landfills). In addition, if the unit is within the 100-year foodplain, procedures to ensure

protection from wash-out during flooding should be reviewed. The EIR reviewer and/or the permit writer should decide if changes or additions to the unit design/operating features in the permit are needed to address potential exposure from releases to a surface-water pathway identified as a concern.

c. Air

In general, the two types of air releases of concern are continuous, chronic releases, and releases that are intermittent and sudden in nature. Continuous air releases associated with surface impoundments usually arise from the volatilization of organic constituents of the waste handled. For landfills, air releases may occur by volatilization through inadequate daily covers, or by particulate releases generated by filling operations or wind erosion. (Subsurface gas is a unique type of air problem treated separately in the next section). Intermittent air releases may result from accidents (fires, explosions) occuring during the mishandling of incompatible, reactive, or ignitable wastes.

Route Characteristics Affecting Exposure Potential

Population density and distance from the unit are the primary factors in the potential for exposure to an air release. Another factor to consider is if people are located along the line of the predominant wind direction at the site. While wind velocity and direction are variable at most locations, people located along this vector are more likely to receive increased exposures to air releases (especially chronic releases). In general, however, releases to the atmosphere may be rapidly dispersed throughout the area around the facility, and some exposure to any of the nearby populations may occur.

Design and Operating Features

Because route characteristics are of limited use in determining if a release from a unit would pose an exposure problem, the EIR reviewer may instead focus on the potential for air releases. This approach is essentially identical to the approach incorporated in the RFA Guidance and the EIR reviewer should refer to this manual for details. In general, this approach relies heavily on the characteristics of the wastes handled and unit design/operating features to uncover potential releases. For example, an impoundment with a large surface area containing fairly concentrated solutions of volatile organics may warrant examination if people are immediately downwind from the unit. Conversely, surface impoundments handling wastewaters containing only non-volatile metals should not pose a significant exposure problem. If volatile wastes are handled at the unit, and population centers are nearby, the EIR reviewer should examine (and consider permit changes to correct) unit characteristics that may promote air releases, such as: large, uncovered surface impoundments, treatment methods using aeration, inadequate daily/permanent landfill covers, and trench fill operations.

Potential release and exposures to nearby populations due to accidents such as fires and explosions also will depend on waste characteristics. If significant amounts of ignitable, reactive, or incompatible wastes are handled, the EIR reviewer should examine the Part B submission to ensure that the relevant 264 standards (264.17, 264.312-314, 264.229-230) are adequately addressed. Waste analysis/management plans, including procedures to identify such wastes when received and special handling, treatment, or mixing procedures employed, should be scrutinized to ensure that additional permit conditions are not needed to prevent violent reactions, fire, or explosions.

d. Subsurface Gas

Routine subsurface gas releases are most likely from sites where biodegradable wastes are managed. Landfills used for codisposal of putrescible refuse with hazardous waste pose the most serious problem because of the potential for other volatile hazardous constituents to become mixed with the methane generated from the decomposable material. If codisposal has not occurred (and will not occur in the future), the EIR reviewer may generally disregard this exposure pathway. However, if codisposal is known or suspected, the factors that affect migration of subsurface gas should be examined.

If an analysis is warranted by codisposal practices, the RFA Guidance should be consulted for details on procedures to assess the potential for release and off-site migration of subsurface gas. Subsurface gas migration may be facilitated by man-made underground conduits used for power lines, drainage/sewer pipes, and telephone cables. The presence of natural or engineered barriers or controls (surface water, ground water, synthetic liners, slurry walls, gas venting systems) will impede or prevent lateral migration of gas produced. The geological setting and climate will have a large impact on gas movement, e.g., soils with high permeability and effective porosity tend to allow upward (rather than lateral) gas migration, while relatively impermeable (or frozen) soils may promote lateral movement. Nearby buildings must also be present in order for subsurface gas to consitute a potential threat via explosion of methane gas, or through human exposure to toxic gases (e.g., vinyl chloride).

If codisposal at a landfill is known or suspected, and if the site characteristics promote the lateral migration of gas to nearby buildings, then a potential for human exposure exists. Any existing monitoring or control systems for subsurface gas should be examined, including any passive venting designs (gravel walls, vents to surface), any active recovery system, and treatment procedures used for recovered or vented gas. Normally, the usual path to assess the significance of this pathway would be as part of a RFA investigation. Probably only after completion of the RFA (and RFI, if necessary) would the permit writer consider additions to the permit that would address these concerns, e.g., installation of gas venting systems.

e. Soil

Potential exposures due to direct contact with contaminated soils should be negligible if the site at which the unit is located has the required security (see relevant section of Part B). Therefore, the prime concern should be intermedia transfer of contaminated soil to another pathway and subsequent off-site transport. For example, any potential for transport off-site by run-off to surface water or through wind dispersion to air should be examined under the appropriate pathway evaluations described in the preceding sections. The potential for food chain contamination should also be considered if any food crops are grown near contaminated soils.

Design and operating features relevant to contaminated soil intermedia transfer have been previously described. The EIR reviewer should review these procedures, as well as the security procedures and equipment used to limit public access to active portions of the units, and spill clean-up procedures for routine spills, accidents, and leaks. An additional concern related to the transportation of waste (see next section) is the adequacy current operating procedures in preventing the "track out" of contaminated soils by transportation vehicles from active portions of the site.

3. Transportation Factors

Routine transportation releases are associated with leaks or unloading/loading practices. The EIR reviewer should examine the type, capacity, and adequacy of vehicles and other conveyances (e.g., pipelines) used, and the procedures taken to minimize releases. The traffic pattern information should be examined to determine if the routes traveled through nearby populated areas pose potential exposure concerns. For example, the potential for exposure is increased if large quantities of waste (especially acutely toxic, highly volatile, ignitable, or explosive wastes) are transported through highly populated areas. Transportation routes through thinly populated area, or on-site waste disposal, are less likely to lead to significant human exposure.

If the permit writer has concerns about the potential exposure arising from transportation of waste, (s)he should examine the past compliance records of the facility, noting any accidents and transportation violations. The permit writer should also consider requiring improved emergency spill/clean-up procedures used for transportation accidents, special contingency plans with nearby localities, or other ways of dealing with the problem.

4. History of Management Practices

Proper management practices are necessary to ensure the operation of the unit is adequate to render releases unlikely or to detect and correct problems. Obviously, the most definitive

indicator of problems is a past release, and the EIR reviewer must examine the design and operation of the unit to see if changes in permit conditions are warranted to address these past problems. Other less definitive types of information that are indicative of the adequacy of the operation/design of the unit include insurance claims and settlements, and the compliance history of the unit with Federal, State, and local regulations, especially inspection records and any violation citations. The EIR reviewer should consider the history of complicance with RCRA regulations, as well as other records that the owner/operator submitted or identified in the EIR, such as:

- occupational health and safety records;
- NPDES compliance records;
- compliance records for applicable air regulations; and
- spills reported under CERCLA.

For example, worker data on injuries, accidents, and illnesses related to operation of the unit may be used to help identify those facilities with questionable management practices, and hence, with potential for releases. The EIR reviewer should focus on the nature and frequency of these and other chronic violations to assess the likelihood that a future release to <u>any</u> pathway might occur.

If a chronic compliance problem exists, the EIR reviewer should examine relevant permit conditions (e.g., worker training problems, contingency plans, inspection schedules, proposed compliance schedules) to ensure that the unit is operated in an adequate manner. The EIR reviewer should also discuss compliance problems and possible remedies with appropriate RCRA enforcement staff.

5. Example of Exposure Potential Determination

Figure 3 summarizes an example of the results of a qualitative screen of the potential for exposure from future releases (Step 5). This example examines the same site that was reviewed in Figure 2 (for prior releases, Step 2) and the same background information applies. Figure 3 illustrates the types of decisions that can be made concerning: the potential impact of future releases to each pathway; when release potential should be considered; and, possible follow up action to address potential problems. Note that the existence of prior releases is given important consideration in assessing release potential, and the outcome of investigations of past releases will greatly affect possible follow up actions.

Figure 3. Example of Summary Sheet Following Qualitative Screen for Future Releases

Background Summary

See Figure 2 for general background. Concerning Management Practices, no chronic RCRA compliance problems documented; occupational and CERCLA records do not indicate problems. (Odor violation being examined through prior release analysis; see air pathway)

Pathway	Potential for Exposure	Release Potential and Possible Follow-Up Action
Ground Water	Very low. Aquifer not used for drinking water; ground-water flow very slow ($K < 10^{-5}$cm/sec, minimal hydraulic head).	Not required due to low exposure potential.
Surface Water	Very low. Use of nearest surface water severely limited due to existing pollution. No overland route; run-off goes to POTW before discharge.	Not required due to low exposure potrential.
Air	Possible due to population areas adjacent to site and the handling of some volatile wastes. Level of concern raised due to odor violation.	Based on past releases, future release likely. Await results of monitoring to decide if new permit conditions warranted.
Subsurface Gas	Very low. While underground conduits exist, unlikely route for surface impoundment.	Not required due to low exposure potential.
Soil	Possible concern due to record of facility sweeping nearby residential street. Direct exposure of nearby population could result from track-out of contaminated soil.	Potential for track-out exists; if subsequent RFA or RFI shows soil contamination, consider permit conditions (e.g., cleaning trucks prior to off-site transport).
Transportation	No indication of potential problems beyond track-out concern raised under soil pathway.	Not required due to low exposure potential.

E. Considering Permit Conditions to Mitigate Potential Exposure (Step 6)

If the analysis outlined for Step 5 indicates the potential for significant public exposure due to future releases, then the EIR reviewer should examine the design and operating features of the unit as described in the preceding section to decide if additional permit conditions are necessary to decrease the potential for releases. If this examination suggests that the existing design and operating features are adequate to address any potential exposure pathways, then the EIR reviewer may end the EIR review process.

Alternatively, if the EIR reviewer feels that additional permit conditions are required, (s)he must consider what conditions are warranted and how these can be required in the permit. In some cases, strengthening permit conditions already required under existing 264 standards may be adequate. In the case of concerns over releases to ground water, for example, the owner/operator might be required to undertake more frequent monitoring of existing wells, or sink new wells, in order to insure that a release will be detected in a timely manner. Because the existing regulations were designed to address primarily ground-water contamination, the permit writer may find a variety of ways to decrease exposure potential for this pathway under the existing regulations.

Concerns about releases to other media may also be addressed, to a limited degree, under existing 264 standards. For example, release potential to the air might be reduced through a strengthening of conditions related to waste analysis (to ensure that accidental releases through explosion, fire, or productions of toxic gases do not occur through mismanagement). Exposure potential via air releases may be decreased by insisting on well designed contingency plans and other agreements with the surrounding communities. In some cases, however, the permit writer may have to go beyond the standards contained in Part 264. Permit denial (the "ultimate" permit condition) is the final option in extreme cases of serious exposure potential.

The Hazardous and Solid Waste Amendments of 1984 (HWSA) provided EPA with a new "omnibus" authority in Section 3005(c)(3), and this provision has been codified in the RCRA regulations in 40 CFR Part 270.32(b)(2). This provision enables the permit writer to require the owner/operator to comply with permit conditions "necessary to protect public health and the environment". The accompanying legislative history indicates that Congress intended EPA to add permit conditions beyond those specified in the exisiting regulations (see the codification rule, 50 FR 28722, July 15, 1985).

Therefore, EPA may require permit conditions that go beyond existing 264 standards if an examination of the exposure potential of the facility warrants such action. In these cases, the EIR

reviewer/permit writer may wish to perform a more extensive analysis of future release/exposure potential to justify additional permit conditions. However, for sites at which past releases and exposures have been documented for a particular pathway (e.g., via the process beginning with Step 2 in the EIR review process), further documentation of future release potential via this route may not be needed.

Examples of additional permit conditions that could be added under 3005(c) include:

- new design/operating features to rapidly detect releases (e.g., require routine air monitoring for indicator parameters at or near the site);

- additional release control design features (e.g., covers or wind screens to decrease air emissions from surface impoundments; increased dike stability requirements and/or secondary containment systems to prevent release to surface water); and,

- limitations on the operations of the unit/site (e.g., limit the handling of wastes with volatile constituents to mitigate air releases; limit the acceptance and treatment of ignitable or reactive wastes to prevent possible explosions or intermittent air releases; limit the acceptance of certain acutely toxic wastes).

Attachment I Section 3019 Statute

Section 3019. Exposure Information and Health Assessments

"Sec. 3019. (a) EXPOSURE INFORMATION.—Beginning on the date nine months after the enactment of the Hazardous and Solid Waste Amendments of 1984, each application for a final determination regarding a permit under section 3005(c) for a landfill or surface impoundment shall be accompanied by information reasonably ascertainable by the owner or operator on the potential for the public to be exposed to hazardous wastes or hazardous constituents through releases related to the unit. At a minimum, such information must address:

"(1) reasonably forseeable potential releases from both normal operations and accidents at the unit, including releases associated with transportation to or from the unit;

"(2) the potential pathways of human exposure to hazardous wastes or constituents resulting from the releases described under paragraph (1); and,

"(3) the potential magnitude and nature of the human exposure resulting from such releases.

The owner or operator of a landfill or surface impoundment for which an application for such a final determination under section 3005(c) has been submitted prior to the date of enactment of the Hazardous and Solid Waste Amendments of 1984 shall submit the information required by this subsection to the Administrator (or the State, in the case of a State with an authorized program) no later than the date 9 months after such date of enactment.

"(b) HEALTH ASSESSMENTS.—

"(1) The Administrator (or the State, in the case of a State with an authorized program) shall make the information required by subsection (a), together with other relevant information, available to the Agency for Toxic Substances and Disease Registry established by section 104(i) of the Comprehensive Environmental Response, Compensation and Liability Act of 1980.

"(2) Whenever in the judgment of the Administrator, or the State (in the case of a State with an authorized program), a landfill or a surface impoundment poses a substantial potential risk to human health, due to the existence of releases of hazardous constituents, the magnitude of contamination with hazardous constituents which may be the result of a release, or the magnitude of the population exposed to such release or contamination, the Administrator or the State (with the concurrence of the Administrator) may request the Administrator of the Agency for Toxic Substances and Disease Registry to conduct a health assessment in connection with such facility and take other appropriate action with respect to such risks as authorized by section 104(b) and (i) of the Comprehensive Environmental Response, Compensation and Liability Act of 1980. If funds are provided in connection with such request the Administrator of such Agency shall conduct such health assessment.

"(c) MEMBERS OF THE PUBLIC.—Any member of the public may submit evidence of releases of or exposure to hazardous constituents from such a facility, or as to the risks or health effects associated with such releases or exposure, to the Administrator of the Agency for Toxic Substances and Disease Registry, the Administrator, or the State (in the case of a State with an authorized program).

"(d) PRIORITY.—In determining the order in which to conduct health assessments under this subsection, the Administrator of the Agency for Toxic Substances and Disease

Attachment I (Continued)

Registry shall give priority to those facilities or sites at where there is documented evidence of release of hazardous constituents, at which the potential risk to human health appears highest, and for which in the judgment of the Administrator of such Agency existing health assessment data is inadequate to assess the potential risk to human health as provided in subjsection (f).

"(e) PERIODIC REPORTS.—The Administrator of such Agency shall issue periodic reports which include the results of all the assessments carried out under this section. Such assessments or other activities shall be reported after appropriate peer review.

"(f) DEFINITION.—For the purposes of this section, the term 'health assessments' shall include preliminary assessments of the potential risk to human health posed by individual sites and facilities subject to this section, based on such factors as the nature and extent of contamination, the existence of potential for pathways of human exposure (including ground or surface water contamination, air emissions, and food chain contamination), the size and potential susceptibility of the community within the likely pathways of exposure, the comparison of expected human exposure levels to the short-term and long-term health effects associated with identified contaminants and any available recommended exposure or tolerance limits for such contaminants, and the comparison of existing morbidity and mortality data on diseases that may be associated with the observed levels of exposure. The assessment shall include an evaluation of the risks to the potentially affected population from all sources of such contaminants, cinluding known point or nonpoint sources other than the site or facility in question. A purpose of such preliminary assessments shall be to help determine whether full-scale health or epidemiological studies and medical evaluations of exposed populations shall be undertaken.

"(g) COST RECOVERY.—In any case in which a health assessment performed under this section discloses the exposure of a population to the release of a hazardous substance, the costs of such health assessment may be recovered as a cost of response under section 107 of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 from persons causing or contributing to such release of such hazardous substance or, in the case of multiple releases contributing to such exposure, to all such release.

ATTACHMENT II

Facility Name _____
ID No. _____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

A. General Information

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
A-1.	Information in Part B Application					
A-1a	General description of facility	270.14(b)(1)				
A-1b	Chemical and physical analyses of wastes	270.14(b)(2) and (3)				
A-1c	Access control and security description of active portion	270.14(b)(4)				
A-1d	General inspection schedule and procedures	270.14(b)(5), 270.17(d), and 270.21(d)				
A-1e	Preparedness and prevention documentation	270.14(b)(6)				
A-1f	Contingency plan	270.14(b)(7)				
A-1g	Preventive procedures	270.14(b)(8)				
A-1h	Facility location information	270.14(b)(11)(i) and (ii)				
A-1i	Closure plan	270.14(b)(13)				
A-1j	Post-closure care plan	270.14(b)(13)				
A-1k	Documentation of insurance	270.14(b)(17)				
A-1l	Topographic map (site plotted on USGS quadrangle maps)	270.14(b)(19)				
A-1m	List of wastes placed or to be placed in each unit	270.21(a) and 270.17(a)				

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

A. General Information (continued)

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
A-2.	Additional Information					
A-2a	Existing risk assessment reports and information, including liability insurance analyses, claims, and settlements	270.10(j)	___	___	___	___
A-2b	Land use and zoning map(s) for an area of 4 miles around the unit	270.10(j)	___	___	___	___
A-2c	Existing aerial photographs of the facility	270.10(j)	___	___	___	___
A-2d	Identify and summarize any waste analysis data not already submitted; provide additional data as discussed in text	270.10(j)	___	___	___	___
A-2e	Current estimate of annual amount of waste received and description of any pretreatment process used	270.10(j)	___	___	___	___
A-2f	Identification of any Federal, State, or local inspection or compliance records related to environmental and health programs; include descriptions of any major violations	270.10(j)	___	___	___	___

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

B. Ground-Water Pathway

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
B-1.	Information in Part B Application					
B-1a	Interim status ground-water monitoring results	270.14(c)(1)	____	____	____	____
B-1b	Identification of uppermost aquifer, including flow rate and direction	270.14(c)(2)	____	____	____	____
B-1c	Topographic maps related to ground-water protection (well location, water table elevation contours, etc.)	270.14(c)(3) and 270.14(b)(19)	____	____	____	____
B-1d	Description of existing contamination	270.14(c)(4) (i) and (ii)	____	____	____	____
B-1e	Detailed plans for ground-water monitoring program	270.14(c)(5)	____	____	____	____
B-1f	Description of detection monitoring program (if applicable)	270.14(c)(6)	____	____	____	____
B-1g	Description of compliance monitoring program and characterization of contaminated ground water (if applicable)	270.14(c)(7) and (c)(7)(ii)	____	____	____	____
B-1h	ACL demonstration (if any)	270.14(c)(7)(iv)	____	____	____	____
B-1i	Corrective action program (if applicable)	270.14(c)(8)	____	____	____	____
B-1j	Description of liner and leachate collection systems (if applicable)	270.17(b)(1) 270.21(b)(1)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

B. Ground-Water Pathway (continued)

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
B-2.	Additional Information					
B-2a	Existing map showing location of all known wells within three miles; number and location of drinking water wells	270.10(j)	____	____	____	____
B-2b	Discussion of ground-water uses within three miles of unit	270.10(j)	____	____	____	____
B-2c	Regional map showing areas of ground-water recharge and discharge	270.10(j)	____	____	____	____
B-2d	Net precipitation using net seasonal rainfall or other available data	270.10(j)	____	____	____	____
B-2e	Unless otherwise reported to EPA, available well data indicating a release, and information on any affected public or private water supplies, including populations served	270.10(j)	____	____	____	____
B-2f	Any known food chain contamination due to prior release from the unit to ground water	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

C. Surface Water Pathway

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
C-1.	**Information in Part B Application**					
C-1a	Location information related to 100 yr flood plain including variance demonstrations	270.14(b)(11) (iii) thru (v)	____	____	____	____
C-1b	System for control of run-on from each peak discharge of 25 yr storm	270.21(b)(2)	____	____	____	____
C-1c	System for control of run-off from 24 hr, 25 yr storm	270.21(b)(3)	____	____	____	____
C-1d	Procedures/equipment to prevent overtopping	270.17(b)(2), 264.221(f)	____	____	____	____
C-1e	Structural integrity of dikes	270.17(b)(3)	____	____	____	____
C-2.	**Additional Information**					
C-2a	Discussion of surface water uses within three miles of the unit, including a map showing the location of all surface water bodies and downstream drinking water intakes	270.10(j)	____	____	____	____
C-2b	Velocities of streams and rivers passing through and adjacent to the property	270.10(j)	____	____	____	____
C-2c	Description of any system used to monitor surface water quality, and a summary of the data	270.10(j)	____	____	____	____
C-2d	Description of known releases to surface water; the extent of contamination; remedial action, if any; and if known, severity of impact	270.10(j)	____	____	____	____
C-2e	Any known food chain contamination resulting from prior release from the unit to surface water	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

D. Air Pathway

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
D-1.	Information in Part B Application					
D-1a	Documentation of procedures to prevent accidental ignition or reaction	270.14(b)(9) 270.21(f) and (g), 270.21(h) and (i)	____	____	____	____
D-1b	Plans to control wind dispersal of particulate matter at landfills	270.21(b)(5)	____	____	____	____
D-1c	A wind rose showing prevailing windspeed and direction	270.14(b)(19)(v)	____	____	____	____
D-2.	Additional Information					
D-2a	Summary of air monitoring data and a description of current monitoring system, if any	270.10(j)	____	____	____	____
D-2b	Population within a four mile radius of the unit	270.10(j)	____	____	____	____
D-2c	Describe any known releases to air; the extent of contamination; remedial action, if any; and severity of impact, if known	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

E. Subsurface Gas Pathway

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
E-1.	Information in Part B Application					
	[Note: None in addition to General Information Requirements]					
E-2.	Additional Information					
E-2a	Any past disposal of municipal-type wastes in the unit; approximate quantities and dates of disposal, if known	270.10(j)	____	____	____	____
E-2b	Map location of any underground conduits within the site and known underground conduits within 1000 feet of property boundary	270.10(j)	____	____	____	____
E-2c	Descriptions of any monitoring or control mechanisms for subsurface gas release; summarize resulting data	270.10(j)	____	____	____	____
E-2d	Description of any known releases; extent of contamination; remedial action taken, if any; and the severity of impact, if known	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

P. Contaminated Soil Pathway

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
P-1.	Information in Part B Application					
	(Note: None in addition to General Information Requirements)					
P-2.	Additional Information					
P-2a	If soil sampling has been done, a map showing areas of soil contamination, and a summary of analytical results	270.10(j)	____	____	____	____
P-2b	Description of the types of major releases that resulted in soil contamination, and any clean-up action	270.10(j)	____	____	____	____
P-2c	Any known food-chain contamination resulting from the use of contaminated soils for raising crops	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

G. Transportation Information

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
G-1.	Information in Part B Application					
G-1a	Traffic pattern, volume, and controls; access road characteristics	270.14(b)(10)	____	____	____	____
G-2.	Additional Information					
G-2a	Description of the types and capacities of vehicles used to transport waste	270.10(j)	____	____	____	____
G-2b	Identification of normal transport routes for hazardous waste into the site and within one mile of the facility entries	270.10(j)	____	____	____	____
G-2c	Description of procedures for clean-up of transportation-related spills or leaks	270.10(j)	____	____	____	____
G-2d	Description of any transportation accidents releasing hazardous wastes on-site, or in the immediate vicinity	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

H. Management Practices Information

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
H-1.	**Information in Part B Application**					
H-1a	Outline of programs to train employees to safely operate and maintain facility, including emergency response activities	270.14(b)(12) 264.16	____	____	____	____
H-2.	**Additional Information**					
H-2a	Summary of existing records on worker illness or injury, related to the operation of the unit; include summaries of Workmen's Compensation claims, or hospital records	270.10(j)	____	____	____	____

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

I. Potential for Human Exposure

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
I-1.	Groundwater Pathway					
I-1a	Description of how the units' location affects the potential for and possible magnitude of human exposure from releases to groundwater	270.10(j)	___	___	___	___
I-1b	Description of the design and operating features that affect the potential for releases to groundwater and the magnitude of these releases	270.10(j)	___	___	___	___
I-2.	Surface Water Pathway					
I-2a	Description of how the units' location affects the potential for and possible magnitude of human exposure from releases to surface water.	270.10(j)	___	___	___	___
I-2b	Description of the design and operating features that affect the potential for releases to surface water and the magnitude of these releases.	270.10(j)	___	___	___	___

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

I. Potential for Human Exposure (Continued)

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
I-3.	Air					
I-3a	Description of how the units' location affects the potential for and possible magnitude of human exposure from releases to the air.	270.10(j)	___	___	___	___
I-3b	Description of the design and operating features that affect the potential for releases to the air and the magnitude of these releases.	270.10(j)	___	___	___	___
I-3c	Description of wastes indicative of air releases and management of these wastes.	270.10(j)	___	___	___	___
I-3c(1)	Description of any waste characteristics (e.g., incompatibility, reactivity, ignitability, volatility) indicative of potential for releases to the air.	270.10(j)	___	___	___	___
I-3c(2)	Description of special handling, treatment, or mixing procedures used to prevent violent reactions, fires, explosions, or extensive evaporation of volatile constituents.	270.10(j)	___	___	___	___
I-4.	Subsurface Gas Releases					
I-4a	Description of how the units' location affects the potential for and possible magnitude of human exposure from subsurface gas releases.	270.10(j)	___	___	___	___
I-4b	Description of the design and operating features that affect the potential for subsurface gas releases and the magnitude of these releases	270.10(j)	___	___	___	___

EXPOSURE INFORMATION REPORT (EIR) REQUIREMENT CHECKLIST

I. Potential for Human Exposure (Continued)

Numbers	Information Requirement	Reg. Cite	Provided (Y/N)	Complete (Y/N)	Not Applicable	Location in Part B or EIR/Comment
I-5.	Releases to Soil					
I-5a	Description of how the units' location affects the potential for and possible magnitude of human exposure from releases to soil.	270.10(j)	___	___	___	
I-5b	Description of the design and operating features that affect the potential for releases to soil and the magnitude of these releases.	270.10(j)	___	___	___	
I-6.	Transportation-Related Releases					
I-6a	Description of how methods and routes of transportation of waste on-site and in the immediate vicinity of the facility affect the potential for human exposure from transportation-related releases.	270.10(j)	___	___	___	
I-7.	Worker-Management Practices					
I-7a	Analysis of worker data and discussion of the potential for off-site migration and public exposure resulting from any releases related to worker-management practices.	270.10(j)	___	___	___	
I-7b	Description of training programs in place for the workers to ensure the safe handling of wastes and minimize the potential for releases from normal operation of the units.	270.10(j)	___	___	___	

Attachment III. Levels of ATSDR Assistance*

1. Health Consultation: Immediate or short-term consultation by ATSDR to provide health advice and/or health effects information regarding a specific site.

2. Health Assessment: Initial multi-disciplinary reviews by ATSDR of all readily available data to evaluate the nature and magnitude of any threat to human health at a site. These evaluations will adapt EPA's risk assessment for the characterization of potential health threats at a site or sites, and may include literature searches, information summarization, and evaluation of existing environmental data, pilot samples, testing for food chain contamination, and similar activities.

3. Pilot Study: A preliminary or short-term medical, laboratory, or epidemiologic study on a limited human population to decide if additional, large-scale studies are warranted. The study populations can include those living at, or near, a site and those not residing at, or near, a site (control or reference population).

4. Epidemiologic Study: Long-term study by ATSDR involving a comprehensive protocol designed to add knowledge of the health effects of a specific substance or substances at a site or sites.

5. Health Registry: A site-specific or adverse health effects-specific registry established and maintained to track specific diseases and illnesses and long-term health effects to persons exposed to toxic substances.

* These levels of assistance are taken from the EPA/ATSDR MOU for CERCLA; definitions of these ATSDR activities may change in the EPA/ATSDR MOU for RCRA.